

Grey-Back Multi-layer Roll-up Film 245 µm - TAG Digital

TECHNICAL DATA SHEET

Description:

The **Grey-Back Multi-layer Roll-up Film 245 µm - TAG Digital®** is a multi-layer PVC/PET/PVC film designed for roll-up and display applications such as pop-up systems, X-banners, clip banners and rigid posters.

Characteristics:

The product is a 245 µm (330 g/m²) multi-layer PET film designed for display applications.

It consists of a transparent PET core combined with white and grey PVC layers, providing high opacity, excellent dimensional stability and a flat appearance. This structure helps prevent curling and ensures reliable performance in roll-up systems.

The smooth surface allows high-quality printing and excellent visual rendering.

Printing:

Compatible with solvent, eco-solvent, UV, latex and screen-printing inks.

Application guidelines:

Designed for use in roll-up and display systems. The material offers good rigidity and stability, ensuring easy installation and consistent visual results.

Durability:

The maximum recommended duration of use depends on application conditions and environment.

Storage:

1 year when stored between 15°C and 25°C and at a relative humidity of 45 to 55% in the original packaging.

Technical data:

Tensile strength: 421 N/inch

Tear strength: 24 x 19 N

Peel strength: 23 N/inch

Product references:

Grey-Back Multi-layer Roll-up Film 245 µm	0.91 x 50 m	ROLL-PET-245-091050
	1.07 x 50 m	ROLL-PET-245-107050
	1.27 x 50 m	ROLL-PET-245-127050
	1.37 x 50 m	ROLL-PET-245-137050
	1.52 x 50 m	ROLL-PET-245-152050

Note:

The information in this data sheet is based on laboratory tests and experience gained in practice. It does not constitute a legal guarantee. A test prior to use must be carried out.

Durability is estimated based on exposure conditions in Central Europe. The actual life of the product depends on substrate preparation, exposure conditions and maintenance of the marking. Outdoor performance degradation can be expected when the films are exposed southward, if applied in areas with high temperatures such as Southern European countries, or in polluted areas.